

MATERIAL SAFETY DATA SHEET

**PARALL**

LTÉE  
LTD

PRODUITS SANITAIRES  
SANITARY PRODUCTS

2970 Bergman, Laval (Québec) CANADA H7L 3P4  
Téléphone : (450) 687-6666 Télécopieur : (450) 687-7646 1(800) 661-6660  
E-mail : parall@bellnet.ca

**PRODUCT INFORMATION**

PRODUCT NAME <i>PAR-SEAL</i>	WHMIS CLASS: <i>D2B</i>
CHEMICAL FAMILY <i>POLYMERIC EMULSION</i>	

**PHYSICAL PROPERTIES**

APPEARANCE AND ODOUR	<i>LIQUID</i>	<i>TRANSLUCENT WHITE</i>	<i>PLEASANT</i>
BOILING POINT (°C)	<i>N.Av.</i>	EVAPORATION RATE ( <i>nBuAc</i> = 1)	<i>N.DAv</i>
VAPOR PRESSURE (mm Hg)	<i>N.Av.</i>	VISCOSITY ( <i>cps</i> ) 22°C 20rpm spindle # 1	<i>7,5</i>
VAPOR DENSITY (AIR = 1)	<i>N.Av.</i>	FREEZING POINT (°C)	<i>N.Av.</i>
SOLUBILITY IN WATER	<i>DILUABLE</i>	pH	<i>8,6</i>
VOLATILE BY VOLUME (%)	<i>81,5</i>	SPECIFIC GRAVITY (WATER = 1)	<i>1,025</i>
ACTIVE MATERIAL (%)	<i>24,6</i>	THEORICAL SOLID CONTENTS (%)	<i>18,5</i>

**HAZARDOUS INGREDIENTS**

INGREDIENTS	CAS OR UN number	%	TLV (units) ACGIH
DIETHYLENE GLYCOL METHYL ETHER	CAS 111-73-3	1-5	<i>N.Av.</i>
ACRYLIC EMULSION	<i>N/Av</i>	15-40	<i>N.Av.</i>
DIPROPYLENE GLYCOL METHYL ETHER	CAS 34590-94-8	1-5	<i>100 ppm</i>
DIBUTYL PHTHLATE	CAS 84-74-2	1-5	<i>N.Av.</i>
TRIBUTOXY ETHYL PHOSPHATE	CAS 78-51-3	1-5	<i>N.Av.</i>

**FIRE AND EXPLOSION HAZARD DATA**

FLASH POINT (Method used): <i>NON-FLAMMABLE</i>	
FLAMMABLE LIMITS	LOWER: <i>N/Av</i> UPPER: <i>N/Av</i>
EXTINGUISHING MEDIA:	<i>N/Av</i>
SPECIAL FIRE FIGHTING PROCEDURES:	<i>N/Av</i>
UNUSUAL FIRE AND EXPLOSIVE HAZARDS:	<i>N/Av</i>
AUTOIGNITION TEMPERATURE:	<i>N/Av</i>
DATE: <i>March 28, 2006</i>	phone: <i>(450) 687-6666 1-800-661-6660 Marc Lessard, chemist</i>
	<i>DIRECTOR R&amp;D</i>

MATERIAL SAFETY DATA SHEET

**PARALL**

LTÉE  
LTD

PRODUITS SANITAIRES  
SANITARY PRODUCTS

2970 Bergman, Laval (Québec) CANADA H7L 3P4  
Téléphone : (450) 687-6666 Télécopieur : (450) 687-7646 1(800) 661-6660  
E-mail : parall @bellnet.ca

PAR-SEAL

**TOXICOLOGICAL PROPERTIES**

THRESHOLD LIMIT VALUE: N.Av.

EFFECTS OF OVEREXPOSURE:

SKIN CONTACT: IRRITATION

EYE CONTACT: REDNESS AND IRRITATION

INHALATION MAY CAUSE TRACK IRRITATION

INGESTION IRRITATION

EMERGENCY AND FIRST AID PROCEDURES:

SKIN CONTACT: RINSE WITH WATER

EYE CONTACT: FLUSH WITH PLENTY OF WATER FOR 15 MINUTES, SEE A PHYSICIAN

INHALATION REMOVE VICTIM TO FRESH AIR

INGESTION DRINK A LARGE QUANTITY OF WATER, SEE A PHYSICIAN

**REACTIVITY DATA**

STABLE: STABLE

CONDITIONS TO AVOID: KEEP FROM FREEZING

INCOMPATIBILITY WITH: N/Av

HAZARDOUS DECOMPOSITION PRODUCTS: N/Av

HAZARDOUS POLYMERIZATION: NO      CONDITIONS TO AVOID: N/Av

**SPILL OR LEAK PROCEDURES**

**PREVENTIVES MEASURES**

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

RINSE WITH PLENTY OF WATER

WASTE DISPOSAL METHOD:

FOLLOW FEDERAL, PROVINCIAL AND LOCAL ORDINANCES IN REGARDS TO WATER BASE WAXES

**SPECIAL PROTECTION INFORMATION**

RESPIRATORY PROTECTION: N/Av

VENTILATION      MECHANICAL GENERAL

PROTECTIVE GLOVES: RUBBER

EYE PROTECTION: GOGGLES

OTHER PROTECTIVE EQUIPMENT: N/Av

MATERIAL SAFETY DATA SHEET

**PARALL**

LTÉE  
LTD

PRODUITS SANITAIRES  
SANITARY PRODUCTS


2970 Bergman, Laval (Québec) CANADA H7L 3P4  
Téléphone : (450) 687-6666 Télécopieur : (450) 687-7646 1(800) 661-6660  
E-mail : parall@bellnet.ca

PAR-SEAL

**SPECIAL PRECAUTIONS**

STORAGE TEMPERATURE	MIN 1°C	MAX 37°C
TDG: N.R.		

NFPA



SIMD / HMIS

Santé / Health	1
Inflammabilité / Flammability	0
Réactivité / Reactivity	0
Protection personnelle / Personal protection	b